

Notes

Output Created	21-NOV-2006 19:00:03	
Comments		
Input	Data	C:\Documents and Settings\CRPM05\Desktop\za vlada.sav
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	1080
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax	FREQUENCIES VARIABLES=lekari /ORDER= ANALYSIS .	
Resources	Elapsed Time	0:00:00.05
	Total Values Allowed	224841

odluka na Vladata da se zabrani dopolnitelnata rabota na (drzhavnite)lekari vo privatnite ordinacii i bolnici

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid da	676	62.6	62.6	62.6
ne	276	25.6	25.6	88.1
ne znam	127	11.8	11.8	99.9
5	1	.1	.1	100.0
Total	1080	100.0	100.0	

Notes

Output Created	21-NOV-2006 19:00:22	
Comments		
Input	Data	C:\Documents and Settings\CRPM05\Desktop\za vlada.sav
	Filter	<none>
	Weight	<none>
	Split File	<none>

	N of Rows in Working Data File	1080
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=danok /ORDER= ANALYSIS .
Resources	Elapsed Time	0:00:00.03
	Total Values Allowed	224841

odluka na Vladata da vovede ramen danok(ist danok na licen dohod bez razlika kolkav e dohodot)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	da	443	41.0	41.0	41.0
	ne	428	39.6	39.6	80.6
	ne znam	209	19.4	19.4	100.0
	Total	1080	100.0	100.0	

Notes

Output Created		21-NOV-2006 19:00:37
Comments		
Input	Data	C:\Documents and Settings\CRPM05\Desktop\za vlada.sav
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	1080
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=sredno /ORDER= ANALYSIS .
Resources	Elapsed Time	0:00:00.03

Total Values Allowed

224841

idejata na Vladata srednoto obrazovanie da e zadolzhitelno

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	da	893	82.7	82.7	82.7
	ne	133	12.3	12.3	95.0
	ne znam	54	5.0	5.0	100.0
	Total	1080	100.0	100.0	

Notes

Output Created		21-NOV-2006 19:01:20
Comments		
Input	Data	C:\Documents and Settings\CRPM05\Desktop\za vlada.sav
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	1080
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=lekari BY etnicka /FORMAT= AVALUE TABLES /CELLS= COUNT /COUNT ROUND CELL .
Resources	Elapsed Time	0:00:00.04
	Dimensions Requested	2
	Cells Available	174876

Notes

Output Created

21-NOV-2006 19:02:13

Comments		
Input	Data	C:\Documents and Settings\CRPM05\Desktop\za vlada.sav
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	1080
Missing Value Handling	Definition of Missing	User-defined missing values for dependent variables are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any dependent variable or factor used.
Syntax		EXAMINE VARIABLES=lekari BY etnicka /PLOT BOXPLOT STEMLEAF /COMPARE GROUP /STATISTICS DESCRIPTIVES /CINTERVAL 95 /MISSING LISTWISE /NOTOTAL.
Resources	Elapsed Time	0:00:02.31

Notes

Output Created		21-NOV-2006 19:03:03
Comments		
Input	Data	C:\Documents and Settings\CRPM05\Desktop\za vlada.sav
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	1080
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.

Syntax	CROSSTABS /TABLES=lekari BY etnicka /FORMAT= AVALUE TABLES /CELLS= COUNT COLUMN /COUNT ROUND CELL .	
Resources	Elapsed Time	0:00:00.04
	Dimensions Requested	2
	Cells Available	174876

odluka na Vladata da se zabrani dopolnitelnata rabota na (drzhavnite)lekari vo privatnite ordinacii i bolnici * etnicka pripadnost Crosstabulation

			etnicka pripadnost						Total
			Makedonec	Albanec	Turcin	Rom	Srbin	drugo	
odluka na Vladata da se zabrani dopolnitelnata rabota na (drzhavnite)lekari vo privatnite ordinacii i bolnici	da	Count	467	152	28	14	12	3	676
		% within etnicka pripadnost	64.4%	56.7%	77.8%	60.9%	57.1%	42.9%	62.6%
	ne	Count	165	88	6	6	8	3	276
		% within etnicka pripadnost	22.8%	32.8%	16.7%	26.1%	38.1%	42.9%	25.6%
	ne znam	Count	92	28	2	3	1	1	127
		% within etnicka pripadnost	12.7%	10.4%	5.6%	13.0%	4.8%	14.3%	11.8%
	5	Count	1	0	0	0	0	0	1
		% within etnicka pripadnost	.1%	.0%	.0%	.0%	.0%	.0%	.1%
	Total	Count	725	268	36	23	21	7	1080
		% within etnicka pripadnost	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Notes

Output Created	21-NOV-2006 19:03:43	
Comments		
Input	Data	C:\Documents and Settings\CRPM05\Desktop\za vlada.sav
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	1080

Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=lekari BY pol /FORMAT= AVALUE TABLES /CELLS= COUNT COLUMN /COUNT ROUND CELL .
Resources	Elapsed Time	0:00:00.03
	Dimensions Requested	2
	Cells Available	174876

odluka na Vladata da se zabrani dopolnitelnata rabota na (drzhavnite)lekari vo privatnite ordinacii i bolnici * pol Crosstabulation

			pol				Total
			masko	zhensko	3	4	
odluka na Vladata da se zabrani dopolnitelnata rabota na (drzhavnite)lekari vo privatnite ordinacii i bolnici	da	Count	342	334	0	0	676
		% within pol	65.4%	60.2%	.0%	.0%	62.6%
	ne	Count	127	148	1	0	276
		% within pol	24.3%	26.7%	100.0%	.0%	25.6%
	ne znam	Count	53	73	0	1	127
		% within pol	10.1%	13.2%	.0%	100.0%	11.8%
	5	Count	1	0	0	0	1
		% within pol	.2%	.0%	.0%	.0%	.1%
Total		Count	523	555	1	1	1080
		% within pol	100.0%	100.0%	100.0%	100.0%	100.0%

Notes

Output Created	21-NOV-2006 19:04:07	
Comments		
Input	Data	C:\Documents and Settings\CRPM05\Desktop\za vlada.sav
	Filter	<none>
	Weight	<none>
	Split File	<none>

	N of Rows in Working Data File	1080
Missing Value Handling	Definition of Missing Cases Used	User-defined missing values are treated as missing.
Syntax		Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table. CROSSTABS /TABLES=lekari BY vozrast /FORMAT= AVALUE TABLES /CELLS= COUNT COLUMN /COUNT ROUND CELL .
Resources	Elapsed Time	0:00:00.03
	Dimensions Requested	2
	Cells Available	174876

odluka na Vladata da se zabrani dopolnitelnata rabota na (drzhavnite)lekari vo privatnite ordinacii i bolnici * vozrast Crosstabulation

			vozrast						Total
			18-29	30-39	40-49	50-59	nad 60	6	
odluka na Vladata da se zabrani dopolnitelnata rabota na (drzhavnite)lekari vo privatnite ordinacii i bolnici	da	Count	171	188	137	112	64	4	676
		% within vozrast	57.4%	68.1%	66.2%	62.2%	56.1%	80.0%	62.6%
	ne	Count	96	58	46	43	33	0	276
		% within vozrast	32.2%	21.0%	22.2%	23.9%	28.9%	.0%	25.6%
	ne znam	Count	31	29	24	25	17	1	127
		% within vozrast	10.4%	10.5%	11.6%	13.9%	14.9%	20.0%	11.8%
	5	Count	0	1	0	0	0	0	1
		% within vozrast	.0%	.4%	.0%	.0%	.0%	.0%	.1%
Total		Count	298	276	207	180	114	5	1080
		% within vozrast	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Notes

Output Created	21-NOV-2006 19:04:26
Comments	
Input	Data
	C:\Documents and Settings\CRPM05\Desktop\za vlada.sav
	Filter
	<none>
	Weight
	<none>

	Split File	<none>
	N of Rows in Working Data File	1080
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=lekari BY obrazovanie /FORMAT= AVALUE TABLES /CELLS= COUNT COLUMN /COUNT ROUND CELL .
Resources	Elapsed Time	0:00:00.03
	Dimensions Requested	2
	Cells Available	174876

odluka na Vladata da se zabrani dopolnitelnata rabota na (drzhavnite)lekari vo privatnite ordinacii i bolnici * nivo na obrazovanie Crosstabulation

			nivo na obrazovanie					Total
			Osnovno obrazovanie	sredno obrazovanie	visoko obrazovanie	4	5	
odluka na Vladata da se zabrani dopolnitelnata rabota na (drzhavnite)lekari vo privatnite ordinacii i bolnici	da	Count	130	377	166	2	1	676
		% within nivo na obrazovanie	58.3%	63.3%	64.6%	66.7%	100.0%	62.6%
	ne	Count	57	152	67	0	0	276
		% within nivo na obrazovanie	25.6%	25.5%	26.1%	.0%	.0%	25.6%
	ne znam	Count	36	67	23	1	0	127
		% within nivo na obrazovanie	16.1%	11.2%	8.9%	33.3%	.0%	11.8%
	5	Count	0	0	1	0	0	1
		% within nivo na obrazovanie	.0%	.0%	.4%	.0%	.0%	.1%
Total		Count	223	596	257	3	1	1080
		% within nivo na obrazovanie	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Notes

Output Created		21-NOV-2006 19:04:37
Comments		
Input	Data	C:\Documents and Settings\CRPM05\Desktop\za vlada.sav
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	1080
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=lekari BY zivealiste /FORMAT=AVALUE TABLES /CELLS= COUNT COLUMN /COUNT ROUND CELL .
Resources	Elapsed Time	0:00:00.03
	Dimensions Requested	2
	Cells Available	174876

Notes

Output Created		21-NOV-2006 19:04:57
Comments		
Input	Data	C:\Documents and Settings\CRPM05\Desktop\za vlada.sav
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	1080
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.

	Cases Used		Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax			CROSSTABS /TABLES=danok BY pol /FORMAT= AVALUE TABLES /CELLS= COUNT COLUMN /COUNT ROUND CELL .
Resources	Elapsed Time		0:00:00.03
	Dimensions Requested		2
	Cells Available		174876

Notes

Output Created			21-NOV-2006 19:06:20
Comments			
Input	Data		C:\Documents and Settings\CRPM05\Desktop\za vlada.sav
	Filter		<none>
	Weight		<none>
	Split File		<none>
	N of Rows in Working Data File		1080
Missing Value Handling	Definition of Missing		User-defined missing values are treated as missing.
	Cases Used		Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax			CROSSTABS /TABLES=danok BY pol /FORMAT= AVALUE TABLES /CELLS= COUNT COLUMN /COUNT ROUND CELL .
Resources	Elapsed Time		0:00:00.03
	Dimensions Requested		2
	Cells Available		174876

odluka na Vladata da vovede ramen danok(ist danok na licen dohod bez razlika kolkav e dohodot) * pol Crosstabulation

			pol				
			masko	zhensko	3	4	Total
odluka na Vladata da vovede ramen danok(ist danok na licen dohod bez razlika kolkav e dohodot)	da	Count	223	219	1	0	443
		% within pol	42.6%	39.5%	100.0%	.0%	41.0%
	ne	Count	205	222	0	1	428
		% within pol	39.2%	40.0%	.0%	100.0%	39.6%
	ne znam	Count	95	114	0	0	209
		% within pol	18.2%	20.5%	.0%	.0%	19.4%
Total		Count	523	555	1	1	1080
		% within pol	100.0%	100.0%	100.0%	100.0%	100.0%

Notes

Output Created	21-NOV-2006 19:06:36	
Comments		
Input	Data	C:\Documents and Settings\CRPM05\Desktop\za vlada.sav
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	1080
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax	CROSSTABS /TABLES=danok BY vozrast /FORMAT= AVALUE TABLES /CELLS= COUNT COLUMN /COUNT ROUND CELL .	
Resources	Elapsed Time	0:00:00.03
	Dimensions Requested	2
	Cells Available	174876

odluka na Vladata da vovede ramen danok(ist danok na licen dohod bez razlika kolkav e dohodot) * vozrast Crosstabulation

			vozrast						
			18-29	30-39	40-49	50-59	nad 60	6	Total
odluka na Vladata da vovede ramen danok(ist danok na licen dohod bez razlika kolkav e dohodot)	da	Count	125	105	90	78	44	1	443
		% within vozrast	41.9%	38.0%	43.5%	43.3%	38.6%	20.0%	41.0%
	ne	Count	123	125	70	63	44	3	428
		% within vozrast	41.3%	45.3%	33.8%	35.0%	38.6%	60.0%	39.6%
	ne znam	Count	50	46	47	39	26	1	209
		% within vozrast	16.8%	16.7%	22.7%	21.7%	22.8%	20.0%	19.4%
Total	Count	298	276	207	180	114	5	1080	
	% within vozrast	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	

Notes

Output Created	21-NOV-2006 19:06:49	
Comments		
Input	Data	C:\Documents and Settings\CRPM05\Desktop\za vlada.sav
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	1080
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax	CROSSTABS /TABLES=danok BY etnicka /FORMAT= AVALUE TABLES /CELLS= COUNT COLUMN /COUNT ROUND CELL .	
Resources	Elapsed Time	0:00:00.03
	Dimensions Requested	2
	Cells Available	174876

odluka na Vladata da vovede ramen danok(ist danok na licen dohod bez razlika kolkav e dohodot) * etnicka pripadnost Crosstabulation

			etnicka pripadnost					Total	
			Makedonec	Albanec	Turcin	Rom	Srbin	drugo	Total
odluka na Vladata da vovede ramen danok(ist danok na licen dohod bez razlika kolkav e dohodot)	da	Count	289	128	12	8	4	2	443
		% within etnicka pripadnost	39.9%	47.8%	33.3%	34.8%	19.0%	28.6%	41.0%
	ne	Count	260	121	19	11	12	5	428
		% within etnicka pripadnost	35.9%	45.1%	52.8%	47.8%	57.1%	71.4%	39.6%
	ne znam	Count	176	19	5	4	5	0	209
		% within etnicka pripadnost	24.3%	7.1%	13.9%	17.4%	23.8%	.0%	19.4%
Total	Count	725	268	36	23	21	7	1080	
	% within etnicka pripadnost	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	

Notes

Output Created	21-NOV-2006 19:07:01	
Comments		
Input	Data	C:\Documents and Settings\CRPM05\Desktop\za vlada.sav
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	1080
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax	CROSSTABS /TABLES=danok BY obrazovanie /FORMAT= AVALUE TABLES /CELLS= COUNT COLUMN /COUNT ROUND CELL .	
Resources	Elapsed Time	0:00:00.04
	Dimensions Requested	2
	Cells Available	174876

odluka na Vladata da vovede ramen danok(ist danok na licen dohod bez razlika kolkav e dohodot) * nivo na obrazovanie Crosstabulation

			nivo na obrazovanie					Total
			Osnovno obrazovanie	sredno obrazovanie	visoko obrazovanie	4	5	
odluka na Vladata da vovede ramen danok(ist danok na licen dohod bez razlika kolkav e dohodot)	da	Count	95	237	110	1	0	443
		% within nivo na obrazovanie	42.6%	39.8%	42.8%	33.3%	.0%	41.0%
	ne	Count	75	241	110	1	1	428
		% within nivo na obrazovanie	33.6%	40.4%	42.8%	33.3%	100.0%	39.6%
	ne znam	Count	53	118	37	1	0	209
		% within nivo na obrazovanie	23.8%	19.8%	14.4%	33.3%	.0%	19.4%
Total		Count	223	596	257	3	1	1080
		% within nivo na obrazovanie	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Notes

Output Created		21-NOV-2006 19:07:12
Comments		
Input	Data	C:\Documents and Settings\CRPM05\Desktop\za vlada.sav
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	1080
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=danok BY zivealiste /FORMAT= AVALUE TABLES /CELLS= COUNT COLUMN /COUNT ROUND CELL .

Resources	Elapsed Time	0:00:00.04
	Dimensions Requested	2
	Cells Available	174876

Notes

Output Created	21-NOV-2006 19:07:29	
Comments		
Input	Data	C:\Documents and Settings\CRPM05\Desktop\za vlada.sav
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	1080
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax	CROSSTABS /TABLES=sredno BY pol /FORMAT= AVALUE TABLES /CELLS= COUNT COLUMN /COUNT ROUND CELL .	
Resources	Elapsed Time	0:00:00.04
	Dimensions Requested	2
	Cells Available	174876

idejata na Vladata srednoto obrazovanie da e zadolzhitelno * pol Crosstabulation

			pol				Total
			masko	zhensko	3	4	
idejata na Vladata srednoto obrazovanie da e zadolzhitelno	da	Count	420	472	1	0	893
		% within pol	80.3%	85.0%	100.0%	.0%	82.7%
	ne	Count	77	55	0	1	133
		% within pol	14.7%	9.9%	.0%	100.0%	12.3%
	ne znam	Count	26	28	0	0	54
		% within pol	5.0%	5.0%	.0%	.0%	5.0%

Total	Count	523	555	1	1	1080
	% within pol	100.0%	100.0%	100.0%	100.0%	100.0%

Notes

Output Created	21-NOV-2006 19:07:46	
Comments		
Input	Data	C:\Documents and Settings\CRPM05\Desktop\za vlada.sav
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	1080
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax	CROSSTABS /TABLES=sredno BY voznst /FORMAT= AVALUE TABLES /CELLS= COUNT COLUMN /COUNT ROUND CELL .	
Resources	Elapsed Time	0:00:00.03
	Dimensions Requested	2
	Cells Available	174876

idejata na Vladata srednoto obrazovanie da e zadolzhitelno * voznst Crosstabulation

			voznst						
			18-29	30-39	40-49	50-59	nad 60	6	Total
idejata na Vladata srednoto obrazovanie da e zadolzhitelno	da	Count	244	228	174	152	91	4	893
		% within voznst	81.9%	82.6%	84.1%	84.4%	79.8%	80.0%	82.7%
	ne	Count	34	37	28	21	13	0	133
		% within voznst	11.4%	13.4%	13.5%	11.7%	11.4%	.0%	12.3%
	ne znam	Count	20	11	5	7	10	1	54
		% within voznst	6.7%	4.0%	2.4%	3.9%	8.8%	20.0%	5.0%
Total		Count	298	276	207	180	114	5	1080

Notes

Output Created	21-NOV-2006 19:07:59	
Comments		
Input	Data	C:\Documents and Settings\CRPM05\Desktop\za vlada.sav
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	1080
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax	CROSSTABS /TABLES=sredno BY etnicka /FORMAT= AVALUE TABLES /CELLS= COUNT COLUMN /COUNT ROUND CELL .	
Resources	Elapsed Time	0:00:00.03
	Dimensions Requested	2
	Cells Available	174876

idejata na Vladata srednoto obrazovanie da e zadolzhitelno * etnicka pripadnost Crosstabulation

			etnicka pripadnost						
			Makedonec	Albanec	Turcin	Rom	Srbin	drugo	Total
idejata na Vladata srednoto obrazovanie da e zadolzhitelno	da	Count	623	199	25	22	18	6	893
		% within etnicka pripadnost	85.9%	74.3%	69.4%	95.7%	85.7%	85.7%	82.7%
	ne	Count	72	50	7	1	2	1	133
		% within etnicka pripadnost	9.9%	18.7%	19.4%	4.3%	9.5%	14.3%	12.3%
	ne znam	Count	30	19	4	0	1	0	54

	% within etnicka pripadnost	4.1%	7.1%	11.1%	.0%	4.8%	.0%	5.0%
Total	Count	725	268	36	23	21	7	1080
	% within etnicka pripadnost	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Notes

Output Created		21-NOV-2006 19:08:11
Comments		
Input	Data	C:\Documents and Settings\CRPM 05\Desktop\za vlada.sav
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	1080
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=sredno BY obrazovanie /FORMAT= AVALUE TABLES /CELLS= COUNT COLUMN /COUNT ROUND CELL .
Resources	Elapsed Time	0:00:00.03
	Dimensions Requested	2
	Cells Available	174876

idejata na Vladata srednoto obrazovanie da e zadolzhitelno * nivo na obrazovanie Crosstabulation

			nivo na obrazovanie					Total
			Osnovno obrazovanie	sredno obrazovanie	visoko obrazovanie	4	5	
idejata na Vladata da e zadolzhitelno	Count		176	493	221	2	1	893
	% within nivo na obrazovanie		78.9%	82.7%	86.0%	66.7%	100.0%	82.7%

	ne	Count	29	76	27	1	0	133
		% within nivo na obrazovanie	13.0%	12.8%	10.5%	33.3%	.0%	12.3%
	ne znam	Count	18	27	9	0	0	54
		% within nivo na obrazovanie	8.1%	4.5%	3.5%	.0%	.0%	5.0%
Total		Count	223	596	257	3	1	1080
		% within nivo na obrazovanie	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Notes

Output Created	21-NOV-2006 19:08:23	
Comments		
Input	Data	C:\Documents and Settings\CRPM 05\Desktop\za vlada.sav
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	1080
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax	CROSSTABS /TABLES=sredno BY zivealiste /FORMAT= AVALUE TABLES /CELLS= COUNT COLUMN /COUNT ROUND CELL .	
Resources	Elapsed Time	0:00:00.03
	Dimensions Requested	2
	Cells Available	174876